

ENVIRONMENTAL
CLEARANCE



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The -1

MOHOL CONSTRUCTION PRIVATE LIMITED

Expansion of proposed residential & Commercial Project 'Graceland' at
Bhugaon, Parde No. 4, Mulshi, Pune by M/s. Mohol Construction Pvt Ltd -
411023

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/422037/2023 dated 15 Mar 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC23B038MH143881 |
| 2. File No. | SIA/MH/INFRA2/422037/2023 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Expansion of Proposed Residential &
Commercial project 'Graceland' at
Bhugaon, Parde no. 4, Tal - Mulshi, Pune,
by M/s. Mohol Construction Pvt Ltd |
| 7. Name of Company/Organization | MOHOL CONSTRUCTION PRIVATE
LIMITED |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 01/11/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/422037/2023
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Mohol Construction Pvt Ltd,
Parde no. 4, Bhugaon,
Tal - Mulshi, Pune.

Subject : Environmental Clearance for Expansion of Proposed Residential & Commercial project Graceland at Parde no. 4, Bhugaon , Tal - Mulshi, Pune, by M/s. Mohol Construction Pvt Ltd

Reference : Application no. SIA/MH/INFRA2/422037/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 174th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 266th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 21st September, 2023.

2. Brief Information of the project submitted by you is as below:-

Proposal Number	<SIA/MH/INFRA2/422037/2023>	
Name of Project	Expansion of Proposed Residential & Commercial project "Graceland" at Parde no. 4, Bhugaon, Tal - Mulshi, Pune, by M/s. Mohol Construction Pvt Ltd	
Project category	Category 'B2', Activity 8(a)	
Type of Institution	Private	
Project Proponent	Name	Mr. Bhushan Pradeep Nalawade
	Regd. Office address	Parde No. 4, Opp. Bank of Maharashtra, Bhugaon, Pune.
	e-mail	bhushan@neuleaflifespace.com
Consultant	J. M. EnviroNet Pvt. Ltd.	
Applied for	Expansion	
Details of previous EC	Earlier Environmental Clearance letter no. SEIAA-EC-0000000036 dated 24.04.2017	
Location of the project	Parde no. 4, Bhugaon , Tal - Mulshi, Pune	
Latitude and Longitude	Latitude 18.501253° N, Longitude: 73.752056° S	
Total Plot Area (m2)	16180 sq. m	
Deductions (m2)	5429.00 sq. m	
Net Plot area (m2)	10751.00 sq. m	
Proposed FSI area (m2)	23396.02 sq. m	
Proposed non-FSI area (m2)	31255.45 sq. m	
Proposed TBUA (m2)	54651.47 sq. m	
TBUA (m2) approved by Planning Authority till date	54651.47 sq. m	

Existing structures on site (If any)	Existing structure on site & will be demolished.			
Ground coverage (m2) & %	--			
Total Project Cost (Rs.)	Rs. 99.5 Cr (Earlier EC – Rs. 68.38 Cr + Expansion – Rs. 31.12 Cr)			
CER as per MoEF & CC circular dated 01/05/2018	NA, per OM No. F.No.22-65/2017/IA.III dt. 30.09.2020 &OM 22-65/2017-IA-III dated 25.02. 2021			
Details of Building Configuration:				
<Please use following legends: Floor = F , Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>				
Building Name	Configuration		Height(m)	
Bldg A1	Lower Ground parking + Upper Ground + 1st (Shop + Park) + 2nd (Shop + Park) + 3rd parking level + 4th Parking level + 5th to 25th floors.		75.75 m	
Bldg A2	Basement 2 + Basement 1+Lower ground parking + Upper ground (Shop + Park) + 1 st (Comm.& Resi.) + 2 nd to 11 th floors		35.85 m	
Bldg B	Basement + Lower ground + Upper ground + 1 st Parking + 2 nd parking+ 3 rd to 15 th floors		47.10 m	
Bldg C	2P+14 floors		44.25 m	
Amenity	LG(Park)+UG + 5 th floors		19.36 m	
Club house	G + 1		6.15 m	
Total number of tenements	Residential flats: 316 no's Commercial in Wing A1, A2 & Commercial (Amenity) bldg. Population: Residential: 1632 persons Commercial Shops (Wing A1, A2): 259 persons Commercial (Amenity) bldg.: 317 persons. Total Commercial: 576 persons.			
Water Budget	Dry Season (CMD)		Wet Season (CMD)	
	Fresh Water	161.28	Fresh Water	161.28
	Recycled (gardening)	10.12	Recycled(gardening)	0
	Swimming Pool	0	Swimming Pool	0
	Flushing	84.96	Flushing	84.96
	Total	256.36	Total	246.24
	Waste water generation	221.62	Waste water generation	221.62
Water Storage Capacity for Firefighting / UGT (m3)			400 KLD (350+50)	
Source of water			Gram panchayat Bhugaon	
Rainwater Harvesting (RWH)	Level of the Ground water table:		8 - 11 m BGL on an average in post monsoon 12 – 14 m BGL on an average in pre monsoon	

	Size and no of RWH tank(s) and Quantity:	NA	
	Quantity and size of recharge pits:	05 nos Size: 2.00 m. X 2.00 m. X 1.25 m. with 6” Dia. 60 m deep bore well via 2 no. of 0.9 m dia. 1m deep De – siltation pit with O & Trap.	
	Details of UGT tanks if any:	Domestic: 246.20 KLD Fire: 400 KLD	
Sewage and Wastewater	Sewage generation in CMD:	221.62 KLD	
	STP technology:	MBBR	
	Capacity of STP (CMD):	STP 1: 235 KLD STP 2: 15 KLD	
Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal
	Dry waste:	10 kg/d	To Gram panchayat Ghantagadi
	Wet waste:	10 kg/d	To Gram panchayat Ghantagadi
	Construction waste	Excavated material from construction activity	Top soil will be used for landscaping. Debris and excavated material will be reused within site and excess will be sent for reuse.
Solid Waste Management during Operation Phase	Type	Quantity (kg/d)	Treatment / disposal
	Dry waste:	413 kg/day	Will be handed over to authorized agency
	Wet waste:	547 kg/day	Treatment – OWC machine Disposal – Used as a manure
	Hazardous waste:	NA	NA
	Biomedical waste	NA	NA
	E-Waste	7 kg/day	Will be handed over to authorized agency
	STP Sludge (dry)	19.94 kg/day	Will be used as a manure
Green Belt Development	Total RG area (m2):	Total RG area: 1264.82 sq.m	
	Existing trees on plot:	21 no’s	
	Number of trees to be planted:	158 no’s	
	Number of trees to be cut:	05 no’s	
	Number of trees to be transplanted:	0	
Power requirement:	Source of power supply:	MSDCL	
	During Construction Phase (Demand Load):	65 KW	

	During Operation phase (Connected load):		1902.87 KW	
	During Operation phase (Demand load):		934.16 KW	
	Transformer:		2x 630 KVA	
	DG set:		225 KVA	
	Fuel used:		HSD	
Details of Energy saving	Solar PV : 5 %			
Environmental Management plan budget during Construction phase	Type	Details		Cost
	Air	Dust suppression measures and barricading		Rs. 1,06,000 /-
	Land	Site Sanitation & Safety		Rs. 26,500/-
	Environment management	Environmental Monitoring		Rs. 1,20,000/-
	Health & safety	Disinfection and Health Check-ups		Rs. 1,33,000 /-
	Component	Details	Capital (Rs.)	O&M (Rs. /Y)
Environmental Management plan Budget during Operation phase	Sewage treatment	02 no's of STP	Rs. 94,73,690 /-	Rs. 24,74,050 /-
	RWH	05 pits	Rs. 12,50,000 /-	Rs. 1,20,000 /-
	Solid Waste	1 OWC	Rs. 16,75,000/-	Rs. 4,15,560 /-
	Green belt development	Tree planation	Rs. 48,00,000 /-	Rs. 2,45,000 /-
	Energy saving	Solar PV & hot water panels	Rs. 87,30,250 /-	Rs. 4,86,513 /-
	Environmental Monitoring		-	Rs. 2,80,000/-
Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
	4-Wheeler	106	523	12.5 sq. mas per rule
	2-Wheeler	316	316	2 sq. m asper rule
	Bicycles	316	316	0.75 sq. mas per rule.
Details of Courtcases / litigations w.r.t. the project and project location if any.				No

Comparative Statement for the Project-

Sr. No	Particulars	Details as per earlier EC issued by MoEF (Areas in sq.mt)	Proposed Modification in EC (Areas in sq.mt)
1	Total Plot area	16180.00	16180.00

2	Deductions	6257.00	5429.00
3	Net Plot Area	9923.00	10751.00
4	FSI area	17604.52	23396.02
5	Non FSI area	17778.27	31255.45
6	Total construction BUA	35382.79	54651.47
7	No of buildings	Total no. of Buildings : 05 no's (4 Resi. & Comm. + 1 Club house)Bldg A: P+G + 10 Floors	Total no. of Buildings : 06 no's (5 Resi. & Comm. + 1 Club house) Bldg A1: LG(Park)+ UG+ 1st (shops + park) +2nd (shops + park)+3rd (Park)+4th (Park)+5th to 25th floors
		--	Bldg A2: Basement 2+Basement 1+LG(Park)+ UG (Shop+ Park)+1st (Comm + Resi)+ 2nd to 11th floors
		Bldg B: 2 Parking + 14 Floors	Bldg: B+LG+UG+1st (Park)+2nd (Park)+3rd to 15th floors
		Bldg C: 2 Parking + 10 Floors	Bldg C: 2 Parking + 14 Floors
		Amenity Bldg(Comm.) : LG. (Park)+UG + 4th floor	Amenity Bldg (Comm.): LG(Park)+UG + 5th floors
		Club House : G+1 Floor	Club house: G+1 Floor
8	No. of tenements & Population	Residential: 303 Commercial Shops, offices, Amenity building Population: Residential: 1515 Persons Commercial – 238	Residential: 316 Commercial: Shops & Offices Population: Residential – 1632 Commercial – 576 persons.
11	Water requirement	Fresh water: 140 KLD Flushing water: 75 KLD Gardening water: 7 KLD Total water requirement: 222 KLD	Fresh water: 161.28 KLD Flushing water: 84.96 KLD Gardening water: 15 KLD Total water requirement: 261.24 KLD
12	UGT Capacities	Domestic : 210 KLDFire : 200 KLD 02 no's of UGT are provided	Domestic : 246.20 KLDFire : 400 KLD 02 no's of UGT are provided
13	Waste water generation & STP provided	Waste water generation: 193.71 KLD STP capacities : STP 1 : 190	Waste water generation: 221.62 KLD STP capacities : STP 1 : 235 KLD & STP 2 :

		KLD & STP 2 : 10 KLDSTP technology: MBBR	15 KLDSTP technology: MBBR
14	Rain water Harvesting	Rain water harvesting tank: NASize: 08 Recharge pits: 2m x 2m x 2 m	Rain water harvesting tank: NASize: 05 Recharge pits: 2 x 2 x 2 m
15	Solid waste generation, STP Sludge & OWC capacity	Wet – 468 kg/day Dry – 338 kg/day STP Sludge: 12 kg/day OWC capacity- 500 kg/day	Wet – 547 kg/day Dry – 413 kg/day STP Sludge: 19.94 kg/day E waste - 7 kg/day OWC capacity- 600 kg/day
16	Green Belt Development	Total RG area: 992.30 sq. m No. of Trees: 124 Nos	Total RG area: 1264.82 sq. m No. of Trees: - 158 no's
17	Energy	Connected load: 765 KW Maximum demand: 460 KW DG set: 140 KVA No. of transformer: 630 KVA, 315 KVA Solar PV : 1%	Connected load: 1902.87 KW Maximum demand: 934.16 KW DG set: 225 KVA No. of transformer: 2x 630 KVA Solar PV : 5 %
18	Parking	Cars – 49 Nos Scooters & Cycles: 605 Nos	Car- 106 Scooter- 316 Cycles : 316

3. Proposal is an expansion of existing Construction project. PP has obtained earlier EC vide SEIAA-EC-0000000036 dated 24.04.2017 for total construction built up area of 35,382.79 m² (FSI-17604.52 m² + NON FSI – 17778.27 m²). Proposal has been considered by SEIAA in its 266th (Day-2) meeting held on 21st September, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit the Fire NoC, Drainage NoC and Water NoC.
2. PP to submit the agreement with authorized agency for collection of Non-Biodegradable and E-waste.
3. PP to submit the rain water harvesting calculations.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 1264.82 m² on mother earth without any construction i.e. Club house etc. Local planning authority to ensure the compliance of the same.
2. This EC is restricted for Building A1 up to 50.00 height only as per CFO NOC.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable

sources.

5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
6. SEIAA after deliberation decided to grant EC for-FSI- 22306.78m², Non FSI- 31255.45m², total BUA- 53562.23 m². (Plan approval No-Outward no 3757, dated- 07.08.2023) (Restricted as per approval)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission

norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.

- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water. Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including

- selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
 - XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
 - XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental

protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation /PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.